

Saw Blades

Onsrud Cutter is proud to present our new line of saw blades. A trendsetter in cutting tool technology, Onsrud Cutter has always been known for the highest quality tools and accessories. Our saw blades will continue in this tradition.

- German Design and Engineering**
 Traditional quality craftsmanship
- Industrial Larger Sized Carbide Teeth**
 Less chance of brazing failure
 Cleaner cut and longer life
- Stress-free Laser Cut Body & Bore**
 Precisely made bore, expansion slot, noise trapping reeds
 Less chance of cracking, warping and body fatigue
 True centering of the blade giving a balanced rotation
- S-Type Expansion Slot (on select blades)**
 Keeps blades running straight and cool
 Reduces noise 3 to 8 decibels
- Optimal Placement of Reeds**
 Less vibration, additional noise reduction
- Tensioned Body Blades**
 Makes the blade run flat and true without wobble or distortion
- 100% Inspected for Quality Control**
- Fully Guaranteed**

We are confident that the quality of these blades will live up to the Onsrud reputation.

Try our saw blades and find out why.



Materials **Combination Blades**

All purpose blade for ripping and cross cutting a variety of materials.

| | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|---------------|-----|--------|-------|------|---------------|-------|-------------|-------|
| Hardwood | 8" | .110" | 40 | 5/8" | COM-8-110-40 | .070" | 15°/12° | ATB+R |
| Softwood | 10" | ⊕.098" | 50 | 5/8" | COM-10-098-50 | .070" | 15°/12° | ATB+R |
| Particleboard | 10" | .126" | 50 | 5/8" | COM-10-126-50 | .087" | 15°/12° | ATB+R |
| Plywood | 12" | .126" | 60 | 1" | COM-12-126-60 | .087" | 15°/12° | ATB+R |
| Machine Types | 14" | .138" | 70 | 1" | COM-14-138-70 | .098" | 15°/12° | ATB+R |

⊕ Indicates thin kerf blade.

Materials **Hi-ATB Melamine Blades**

Chip free cuts on laminated or fine veneer materials.

| | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|-------------|-----|-------|-------|------|-----------------|-------|-------------|-------|
| Melamine | 10" | .126" | 80 | 5/8" | MHATB-10-126-80 | .087" | -6° / 15° | HATB |
| Fine Veneer | 12" | .126" | 96 | 1" | MHATB-12-126-96 | .087" | -6° / 15° | HATB |

Machine Types
Table Saw
Miter Saw
Radial Arm Saw

Materials **Non-Ferrous Metal Blades**

Burr free cuts on aluminum, copper, brass, bronze, and other non-ferrous materials.

| | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|--------------------|-----|-------|-------|------|--------------------|-------|-------------|-------|
| Non-Ferrous Metals | 8" | .126" | 64 | 5/8" | NFB-8-126-64 | .102" | -5° / 15° | TCG |
| Plywood | 10" | .126" | 100 | 5/8" | NFB-10-126-100-001 | .102" | -5° / 15° | TCG |
| Laminates | 12" | .126" | 100 | 1" | NFB-12-126-100-1 | .102" | -5° / 15° | TCG |

Machine Types
Table Saw
Miter Saw
Radial Arm Saw

Materials **Crosscut Blades**

Clean cross grain cutting of all types of wood. ATB recommended for most solid woods.

| | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|------------------------|-----|--------|-------|------|---------------------|-------|-------------|-------|
| Hardwood | 8" | .110" | 40 | 5/8" | CCATB-8-110-40-625 | .070" | 15°/12° | ATB |
| Softwood | 10" | ⊕.098" | 42 | 5/8" | CCATB-10-098-42 | .070" | 15°/12° | ATB |
| Plywood | 10" | ⊕.098" | 60 | 5/8" | CCATB-10-098-60 | .070" | 12°/15° | ATB |
| Single Sided Laminates | 10" | .126" | 42 | 5/8" | CCATB-10-126-42 | .087" | 15°/12° | ATB |
| MDF | 10" | .126" | 60 | 5/8" | CCATB-10-126-60-625 | .087" | 12°/15° | ATB |
| Particleboard | 10" | .126" | 80 | 5/8" | CCATB-10-126-80 | .087" | 8°/15° | ATB |

⊕ Indicates thin kerf blade.

Materials

Clean cross grain cutting of all types of wood. TCG recommended for hardwoods, plywood, particleboard, and other abrasive materials.

| | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|----------|-----|--------|-------|------|-----------------|-------|-------------|-------|
| Hardwood | 10" | ⊕.098" | 60 | 5/8" | CCTCG-10-098-60 | .070" | 8°/15° | TCG |
| Plywood | 10" | .126" | 80 | 5/8" | CCTCG-10-126-80 | .087" | 8°/15° | TCG |

⊕ Indicates thin kerf blade.

Machine Types
Table Saw

Prices and Availability are subject to changes without notice. July 2008

Materials

- Hardwood
- Softwood
- Single Sided Laminate
- Particleboard
- MDF
- Machine Types**
- Table Saw
- Miter Saw
- Radial Arm Saw

Miter Blades

Chip free and smooth cuts. Negative hook prevents lifting of materials.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|--------|--------|-------|------|--------------------|-------|-------------|-------|
| 8 1/2" | .120" | 64 | 5/8" | MTR-85-120-64 | .079" | -6° / 15° | ATB |
| 10" | ⊕.098" | 60 | 5/8" | MTR-10-098-60 | .070" | -6° / 15° | ATB |
| 10" | .126" | 60 | 5/8" | MTR-10-126-60 | .087" | -6° / 15° | ATB |
| 10" | .126" | 80 | 5/8" | MTR-10-126-80 | .087" | -6° / 15° | ATB |
| 12" | ⊕.098" | 80 | 1" | MTR-12-098-80 | .070" | -6° / 15° | ATB |
| 12" | ⊕.098" | 96 | 1" | MTR-12-098-96 | .070" | -6° / 15° | ATB |
| 12" | .126" | 80 | 1" | MTR-12-126-80 | .087" | -6° / 15° | ATB |
| 12" | .126" | 96 | 1" | MTR-12-126-96-1 | .087" | -6° / 15° | ATB |
| 12" | .126" | 96 | 5/8" | MTR-12-126-96-625 | .087" | -6° / 15° | ATB |
| 14" | .150" | 108 | 1" | MTR-14-150-108-1 | .120" | -6° / 15° | ATB |
| 14" | .150" | 108 | 5/8" | MTR-14-150-108-625 | .120" | -6° / 15° | ATB |
| 15" | .150" | 108 | 1" | MTR-15-150-108 | .120" | -6° / 15° | ATB |

⊕ Indicates thin kerf blade.

Materials

- Hardwood
- Softwood
- Machine Types**
- Table Saw
- Straight Line Rip Saw
- Gang Rip Saw

Rip Blades

Ripping of hard and soft woods with the grain.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|-----|--------|-------|------|-------------------|-------|-------------|-------|
| 10" | ⊕.098" | 24 | 5/8" | RIP-10-098-24 | .070" | 20°/15° | FTG |
| 10" | .126" | 24 | 5/8" | RIP-10-126-24-625 | .087" | 20°/15° | FTG |
| 12" | .126" | 24 | 1" | RIP-12-126-24-1 | .087" | 20°/15° | FTG |
| 14" | .138" | 28 | 1" | RIP-14-138-28 | .098" | 20°/15° | FTG |

⊕ Indicates thin kerf blade.

Materials

- Hardwood
- Softwood
- Machine Types**
- Table Saw
- Straight Line Rip Saw
- Gang Rip Saw

Glue Line Blades

Extra smooth ripping blade for ready-to-glue cuts.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|-----|-------|-------|------|---------------|-------|-------------|-------|
| 10" | .126" | 30 | 5/8" | GLR-10-126-30 | .102" | 22°/15° | TCG+R |
| 12" | .150" | 36 | 1" | GLR-12-150-36 | .110" | 22°/15° | TCG+R |
| 14" | .150" | 40 | 1" | GLR-14-150-40 | .114" | 22°/15° | TCG+R |

DADO SETS

Dado Set 6-36 36z Outside 6z Chippers x 5 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|--------|-------|------|-------------|-------|-------------|-------------|
| 6" | 9/64" | 36 | 5/8" | DSET-6-36 | .098" | 2 | -5°/18° |
| 6" | 9/64" | 6 | 5/8" | | 1/16" | 1 | -5°/16° |
| 6" | 17/64" | 6 | 5/8" | | 1/8" | 4 | -5°/16° |

Dado Set 8-12 12z Outside 2z Chippers x 5 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|--------|-------|------|-------------|-------|-------------|-------------|
| 8" | 9/64" | 12 | 5/8" | DSET-8-12 | .098" | 2 | -12°/15° |
| 8" | 9/64" | 2 | 5/8" | | 1/16" | 1 | -12°/15° |
| 8" | 17/64" | 2 | 5/8" | | 1/8" | 4 | -12°/15° |

Dado Set 8-24 24z Outside 2z Chippers x 6 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|--------|-------|------|-------------|-------|-------------|-------------|
| 8" | 9/64" | 24 | 5/8" | DSET-8-24 | .098" | 2 | 14°/18° |
| 8" | 9/64" | 2 | 5/8" | | 1/16" | 1 | 14°/15° |
| 8" | 15/64" | 2 | 5/8" | | 3/32" | 1 | 14°/15° |
| 8" | 17/64" | 2 | 5/8" | | 1/8" | 4 | 14°/15° |

Dado Set 8-42-1 42z Outside 6z Chippers x 5 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|---------|-------|------|-------------|-------|-------------|-------------|
| 8" | 19/128" | 42 | 1" | DSET-8-42-1 | .098" | 2 | 14°/18° |
| 8" | 7/64" | 6 | 1" | | 1/16" | 1 | 14°/16° |
| 8" | 11/64" | 6 | 1" | | 1/8" | 4 | 14°/16° |

Dado Set 8-42-625 42z Outside 6z Chippers x 5 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|---------|-------|------|---------------|-------|-------------|-------------|
| 8" | 19/128" | 42 | 5/8" | DSET-8-42-625 | .098" | 2 | 14°/18° |
| 8" | 7/64" | 6 | 5/8" | | 1/16" | 1 | 14°/16° |
| 8" | 11/64" | 6 | 5/8" | | 1/8" | 4 | 14°/16° |

Dado Set 10-24 24z Outside 2z Chippers x 6 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|--------|-------|------|-------------|-------|-------------|-------------|
| 10" | 9/64" | 24 | 1" | DSET-10-24 | .098" | 2 | 14°/18° |
| 10" | 9/64" | 2 | 1" | | 1/16" | 1 | 14°/15° |
| 10" | 15/64" | 2 | 1" | | 3/32" | 1 | 14°/15° |
| 10" | 17/64" | 2 | 1" | | 1/8" | 4 | 14°/15° |

Dado Set 10-42 42z Outside 6z Chippers x 5 A complete dado boxed set, including steel shim set. Components listed below.

| Dia | Kerf | Teeth | Bore | Part Number | Plate | # of Blades | Hook/Relief |
|-----|---------|-------|------|-------------|-------|-------------|-------------|
| 10" | 19/128" | 42 | 1" | DSET-10-42 | .098" | 2 | 14°/18° |
| 10" | 7/64" | 6 | 1" | | 1/16" | 1 | 14°/16° |
| 10" | 11/64" | 6 | 1" | | 1/8" | 4 | 14°/16° |



Saw Blades

Onsrud Cutter is proud to present our new line of saw blades. A trendsetter in cutting tool technology, Onsrud Cutter has always been known for the highest quality tools and accessories. Our saw blades will continue in this tradition.

- **German Design and Engineering**
Traditional quality craftsmanship
- **Industrial Sized Carbide Teeth**
Less chance of brazing failure
Cleaner cut and longer life
- **Stress-free Laser Cut Body & Bore**
Precisely made bore, expansion slot, noise trapping reeds
Less chance of cracking, warping and body fatigue
True centering of the blade giving a balanced rotation
- **S-Type Expansion Slot (on select blades)**
Keeps blades running straight and cool
Reduces noise 3 to 8 decibels
- **Optimal Placement of Reeds**
Less vibration, additional noise reduction
- **Tensioned Body Blades**
Makes the blade run flat & true without wobble or distortion
- **100% Inspected for Quality Control**
- **Fully Guaranteed**

We are confident that the quality of these blades will live up to the Onsrud reputation. *Try our saw blades and find out why!*

Crosscut Blades

Clean cross grain cutting all types of wood. ATB recommended for most solid woods.

| Materials | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|---------------|-----|-------|-------|------|-----------------|-------|-------------|-------|
| Hardwood | 12" | .126" | 72 | 1" | CCATB-12-126-72 | .087" | 12°/15° | ATB |
| Softwood | 12" | .126" | 96 | 1" | CCATB-12-126-96 | .087" | 8°/15° | ATB |
| Plywood | 8" | .110" | 40 | 5/8" | CCTCG-8-110-40 | .070" | 12°/15° | TCG |
| Single Sided | 8" | .118" | 60 | 5/8" | CCTCG-8-118-60 | .078" | 8°/15° | TCG |
| Laminates | 10" | .126" | 40 | 5/8" | CCTCG-10-126-40 | .087" | 12°/15° | TCG |
| MDF | 10" | .126" | 60 | 5/8" | CCTCG-10-126-60 | .087" | 8°/15° | TCG |
| Particleboard | 12" | .126" | 60 | 1" | CCTCG-12-126-60 | .087" | 8°/15° | TCG |

Machine Types: Table Saw

Non-Ferrous Metal Blades

Burr free cuts on aluminum, copper, brass, bronze, and other non-ferrous materials.

| Materials | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|-------------|--------|-------|-------|---------|--------------------|-------|-------------|-------|
| Non-Ferrous | 7-1/4" | .110" | 60 | 5/8" DK | NFB-7250-110-60 | .087" | -5°/15° | TCG |
| Plywood | 10" | .126" | 60 | 5/8" | NFB-10-126-60 | .102" | -5°/15° | TCG |
| Laminates | 10" | .126" | 80 | 5/8" | NFB-10-126-80 | .102" | -5°/15° | TCG |
| | 12" | .126" | 72 | 1" | NFB-12-126-72 | .102" | -5°/15° | TCG |
| | 12" | .126" | 100 | 5/8" | NFB-12-126-100-625 | .102" | -5°/15° | TCG |
| | 14" | .134" | 108 | 1" | NFB-14-134-108 | .110" | -5°/15° | TCG |
| | 14" | .150" | 100 | 5/8" | NFB-14-150-100 | .126" | -5°/15° | TCG |
| | 15" | .118" | 100 | 1" | NFB-15-118-100 | .098" | -5°/15° | TCG |

Machine Types: Table Saw • Miter Saw • Radial Arm Saw

No Melt Plastic Blades

Premium performance design results in cool, clean cutting of plastic materials without chipping or melting.

| Materials | Dia | Kerf | Teeth | Bore | Part Number | Plate | Hook/Relief | Grind |
|------------|-----|--------|-------|------|---------------|-------|-------------|-------|
| Acrylic | 8" | .126" | 60 | 5/8" | NMP-8-126-60 | .087" | 5°/15 | TCG-M |
| Derlin | 8" | .126" | 80 | 5/8" | NMP-8-126-80 | .087" | 0°/15 | TCG-M |
| ABS | 10" | .098"* | 60 | 5/8" | NMP-10-098-60 | .077" | 5°/15 | TCG-M |
| Styrene | 10" | .098"* | 80 | 5/8" | NMP-10-098-80 | .077" | 0°/15 | TCG-M |
| PVC | 10" | .126" | 60 | 5/8" | NMP-10-126-60 | .087" | 5°/15 | TCG-M |
| Hi and Low | 10" | .126" | 80 | 5/8" | NMP-10-126-80 | .087" | 0°/15 | TCG-M |
| Melt Nylon | 12" | .126" | 72 | 1" | NMP-12-126-72 | .087" | 5°/15 | TCG-M |
| | 12" | .126" | 96 | 1" | NMP-12-126-96 | .087" | 0°/15 | TCG-M |

Machine Types: Table Saw • Miter Saw • Panel Saw

* Indicates Thin Kerf Blade

Price List for Complete Saw Offering on Back



ONSRUD

ONSRUD CUTTER LP



2008

Prices effective **SEPTEMBER 1, 2008**

PRICE LIST

FOR PLACING ORDERS

e-mail: sales@onsrud.com

phone: 800.234.1560

phone: 847.362.1560

fax: 800.557.6720

FOR TECHNICAL SUPPORT

techsupport@onsrud.com

Prices Subject To Change Without Notice

Supersedes All Previously Dated Price Lists


Prices Stated Are Suggested List Price

Price F.O.B. Libertyville, Illinois

FOR CATALOGS

catalog@onsrud.com

BOLD LETTERS = NEW PRODUCTS



| PART | DESCRIPTION | PRICE |
|------------------------|-----------------------------------|-----------------|
| CCATB-8-110-40-625 | 8" CROSS-CUT BLADE ATB | \$56.85 |
| CCATB-10-098-42 | 10" THIN KERF CROSS-CUT BLADE ATB | \$87.70 |
| CCATB-10-098-60 | 10" THIN KERF CROSS-CUT BLADE ATB | \$102.30 |
| CCATB-10-126-42 | 10" CROSS-CUT BLADE ATB | \$87.70 |
| CCATB-10-126-60-625 | 10" CROSS-CUT BLADE ATB | \$103.95 |
| CCATB-10-126-80 | 10" CROSS-CUT BLADE ATB | \$121.80 |
| CCATB-12-126-72 | 12" CROSS-CUT BLADE ATB | \$142.42 |
| CCATB-12-126-96 | 12" CROSS-CUT BLADE ATB | \$164.69 |
| CCTCG-8-110-40 | 8" CROSS-CUT BLADE TCG | \$92.64 |
| CCTCG-8-118-60 | 8" CROSS-CUT BLADE TCG | \$113.33 |
| CCTCG-10-098-60 | 10" THIN KERF CROSS-CUT BLADE TCG | \$112.05 |
| CCTCG-10-126-40 | 10" CROSS-CUT BLADE TCG | \$108.96 |
| CCTCG-10-126-60 | 10" CROSS-CUT BLADE TCG | \$126.67 |
| CCTCG-10-126-80 | 10" CROSS-CUT BLADE TCG | \$131.55 |
| CCTCG-12-126-60 | 12" CROSS-CUT BLADE TCG | \$140.35 |
| COM-8-110-40 | 8" COMBINATION BLADE | \$77.95 |
| COM-10-098-50 | 10" THIN KERF COMBINATION BLADE | \$92.55 |
| COM-10-126-50 | 10" COMBINATION BLADE | \$94.20 |
| COM-12-126-60 | 12" COMBINATION BLADE | \$115.30 |
| COM-14-138-70 | 14" COMBINATION BLADE | \$138.05 |
| DSET-6-36 | 6" DADO SETS | \$285.80 |
| DSET-8-12 | 8" DADO SETS | \$175.40 |
| DSET-8-24 | 8" DADO SETS | \$259.85 |
| DSET-8-42-625 | 8" DADO SETS | \$354.00 |
| DSET-8-42-1 | 8" DADO SETS | \$354.00 |
| DSET-10-24 | 10" DADO SETS | \$272.85 |
| DSET-10-42 | 10" DADO SETS | \$367.00 |
| GLR-10-126-30 | 10" GLUE LINE RIPPING BLADE | \$97.45 |
| GLR-12-150-36 | 12" GLUE LINE RIPPING BLADE | \$110.45 |
| GLR-14-150-40 | 14" GLUE LINE RIPPING BLADE | \$129.95 |
| MHATB-10-126-80 | 10" Hi-ATB MELAMINE SAW BLADE | \$121.80 |
| MHATB-12-126-96 | 12" Hi-ATB MELAMINE SAW BLADE | \$144.55 |
| MTR-85-120-64 | 8 1/2" MITRE SAW BLADE | \$90.95 |
| MTR-10-098-60 | 10" THIN KERF MITRE SAW BLADE | \$107.20 |

| PART | DESCRIPTION | PRICE |
|---------------------------|-------------------------------------|-----------------|
| MTR-10-126-60 | 10" MITRE SAW BLADE | \$108.80 |
| MTR-10-126-80 | 10" MITRE SAW BLADE | \$125.05 |
| MTR-12-098-80 | 12" THIN KERF MITRE SAW BLADE | \$126.65 |
| MTR-12-098-96 | 12" THIN KERF MITRE SAW BLADE | \$141.30 |
| MTR-12-126-80 | 12" MITRE SAW BLADE | \$133.15 |
| MTR-12-126-96-625 | 12" MITRE SAW BLADE | \$146.15 |
| MTR-12-126-96-1 | 12" MITRE SAW BLADE | \$146.15 |
| MTR-14-150-108-625 | 14" MITRE SAW BLADE | \$175.40 |
| MTR-14-150-108-1 | 14" MITRE SAW BLADE | \$191.95 |
| MTR-15-150-108 | 15" MITRE SAW BLADE | \$180.25 |
| NFB-7250-110-60 | 7 1/4" NON-FERROUS SAW BLADE | \$105.84 |
| NFB-8-126-64 | 8" NON-FERROUS SAW BLADE | \$100.70 |
| NFB-10-126-60 | 10" NON-FERROUS SAW BLADE | \$125.81 |
| NFB-10-126-80 | 10" NON-FERROUS SAW BLADE | \$146.45 |
| NFB-10-126-100-001 | 10" NON-FERROUS SAW BLADE | \$155.90 |
| NFB-12-126-72 | 12" NON-FERROUS SAW BLADE | \$159.65 |
| NFB-12-126-100-625 | 12" NON-FERROUS SAW BLADE | \$190.42 |
| NFB-12-126-100-1 | 12" NON-FERROUS SAW BLADE | \$172.15 |
| NFB-14-134-108 | 14" NON-FERROUS SAW BLADE | \$212.50 |
| NFB-14-150-100 | 14" NON-FERROUS SAW BLADE | \$240.96 |
| NFB-15-118-100 | 15" NON-FERROUS SAW BLADE | \$207.26 |
| NMP-8-126-60 | 8" NO MELT PLASTIC BLADE | \$123.50 |
| NMP-8-126-80 | 8" NO MELT PLASTIC BLADE | \$148.70 |
| NMP-10-098-60 | 10" NO MELT PLASTIC BLADE | \$137.90 |
| NMP-10-098-80 | 10" NO MELT PLASTIC BLADE | \$158.64 |
| NMP-10-126-60 | 10" NO MELT PLASTIC BLADE | \$135.89 |
| NMP-10-126-80 | 10" NO MELT PLASTIC BLADE | \$158.88 |
| NMP-12-126-72 | 12" NO MELT PLASTIC BLADE | \$160.13 |
| NMP-12-126-96 | 12" NO MELT PLASTIC BLADE | \$190.46 |
| RIP-10-098-24 | 10" RIPPING BLADE | \$71.45 |
| RIP-10-126-24-625 | 10" RIPPING BLADE | \$73.10 |
| RIP-12-126-24-1 | 12" RIPPING BLADE | \$82.80 |
| RIP-14-138-28 | 14" RIPPING BLADE | \$102.30 |